



PATENT APPLICATION

IN THE UNITED STATES PATENT AND TRADEMARK OFFICE

In re the Application of:

Yo TSURUMI

Group Art Unit: Not yet assigned

Application No.: 10/809,935

Examiner: Not yet assigned

Confirmation No.: 6426

Filed: March 26, 2004

Attorney Dkt. No.: 59558.00022

For: OSCILLATING INNER GEARING PLANETARY GEAR SYSTEM

RESPONSE TO NOTICE TO FILE MISSING PARTS

Commissioner for Patents

P.O. Box 1450

Alexandria, VA 22313-1450

August 6, 2004

MAILSTOP MISSING PARTS

Sir:

In response to the Notice to File Missing Parts of Application dated June 7, 2004
(copy attached), the following are enclosed:

- ☒ \$130.00 as payment of the surcharge for the Notice to File Missing Parts;
☒ \$770.00 as payment for the filing fee, see chart below;

			SMALL ENTITY		OR	LARGE ENTITY	
FOR:	NO. FILED	NO. EXTRA	RATE	FEE		RATE	FEE
BASIC FEE				\$ 385	OR		\$ 770
TOTAL CLAIMS	16 - 20	= 0	x 9 =		OR	x 18	
INDEP CLAIMS	1 - 3	= 0	x 43 =		OR	x 86	
<input type="checkbox"/> MULTIPLE DEPENDENT CLAIMS			+145 =		OR	+290	
			TOTAL		OR	TOTAL	\$770

☐ \$ _____ as payment for a _____ month extension of time;

- ☒ Originally-executed Declaration/Power of Attorney;
- ☐ Applicant qualifies for Small Entity Status;
- ☒ English Translation of the Application and \$130.00 fee; and
- ☐ Other. -

Applicants(s) are also enclosing the following:

- ☒ Request for Corrected Filing Receipt;
- ☒ A Information Disclosure Statement with Form PTO-1449, 2 refs.;
- ☒ A certified copy of Japan Priority Application No. 2003-085779 filed March


26, 2003;

- ☒ A copy of originally executed Assignment with Form PTO-1595; and
- ☒ \$40.00 as payment for the recordation of the Assignment.

The Examiner is respectfully requested to acknowledge that all of the requirements of 35 U.S.C. §111 have been met.

Please charge any fee deficiency or credit any overpayment to Counsel's Deposit Account No. 50-2222.

Respectfully submitted,



Douglas H. Goldhush
Registration No. 33,125

Customer Number 32294
SQUIRE, SANDERS & DEMPSEY LLP
14TH Floor
8000 Towers Crescent Drive
Tysons Corner, Virginia 22182-2700
Telephone: 703-720-7800
Fax: 703-720-7802

DHG:scc

Enclosures: Check No. 011767